

## تقديم

الهيئة العامة للغذاء والدواء جهة مستقلة الغرض الأساسي لها هو القيام بتنظيم ومراقبة الغذاء والدواء والأجهزة والمنتجات الطبية والتشخيصية، ومن مهامها وضع اللوائح الفنية والمواصفات في مجالات الغذاء والدواء والأجهزة والمنتجات الطبية سواء كانت مستوردة أو مصنعة محلياً بواسطة لجان فنية متخصصة، وقد قام قطاع الأجهزة والمنتجات الطبية بالهيئة ضمن برنامج عمل الفريق رقم (SFDA/MDS/TC 121) " فريق عمل مواصفات أجهزة التخدير والتنفس " بتبني المواصفة الدولية رقم (ISO 5362:2006) " أكياس تجميع غازات التخدير "، والتي أصدرتها "المنظمة الدولية للتقييس" وذلك بلغتها الأصلية. وقد اعتمدت هذه المواصفة كمواصفة سعودية متبناة بالمطابقة بلغتها الأصلية وذلك في اجتماع مجلس الإدارة رقم ( ) والذي عقد بتاريخ ( ..../14..هـ) الموافق (../20..م).

## Foreword

Saudi Food and Drug Authority (SFDA) is an independent organization with main purpose of regulating and monitoring of foods, drugs and medical devices. One of SFDA functions is to issue national Standards /Technical Regulation in the fields of foods, drugs and medical devices, whether imported or manufactured locally, through specialized technical committees (TCs).SFDA medical devices sector through the work program of technical committee (SFDA/MDS/TC 121) "Anaesthetic and respiratory equipment" has adopted the International Standard No. (ISO 5362:2006) " Anaesthetic reservoir bags" issued by "International Organization for Standardization" in its original language. This standard is identically adopted in its original language and has been approved as national standard by SFDA board of directors in its meeting No ( ) Held on (../14..AH), agreed with (../20.. G).

## **Scope**

This International Standard specifies requirements for antistatic and non-antistatic reservoir bags for use with anaesthetic apparatus or lung-ventilator breathing systems. It includes requirements for the design of the neck, size designation, distension and, where relevant, for electrical resistance.

This International Standard includes requirements for both single-use and reusable bags. Reusable bags are intended to comply with the requirements of this International Standard for the recommended product life.

This International Standard is not applicable to special-purpose bags, for example bellows and self-expanding bags. Bags for use with anaesthetic gas scavenging systems are not considered to be anaesthetic reservoir bags and are thus outside the scope of this International Standard.