Terifagio (teriflunomide) 14 mg Tablets

This Patient Card contains important safety information you need to be aware of when receiving treatment with teriflunomide. Please refer to the patient leaflet for complete information.

Please show this card to any doctor or healthcare professional involved in your medical care (e.g. in case of an emergency).

Important sids effects

 This drug may affect your liver function and certain cells in your blood, including cells that are important to fight infections.
Therefore blood tests, liver tests and blood pressure will be checked before the start of the treatment and regularly thereafter.

If you have any of the following side effects, please contact your doctor immediately:

- Your skin or the white of your eyes turn yellow, dark urine, nausea or vomiting and abdominal pain. In this case you may have a problem with your liver.
- High temperature (fever), cough, chills, swollen glands, reduced or painful urine flow, or confusion. In this case you may have an infection.

For female patients, including girls and adolescents and their parents/caregivers

- Do not start teriflunomide when you are pregnant, or you think you may be pregnant.
- Your doctor may ask you to do a pregnancy test to make sure.
- You must use effective contraception while and after using teriflunomide.
- Your doctor will provide counselling on the potential risks to an unborn baby and on the need for effective contraception.
- Contact your doctor if you want to change contraception method or if you are planning to become pregnant.
- If you become pregnant or think you are pregnant, contact your doctor immediately.
- In case of pregnancy, your doctor may suggest treatment with certain medicines to speed up the removal of teriflunomide from your body.
- You should also discuss with your doctor if you plan to or are breastfeeding.
- You or your parents/carers must contact your doctor as soon as you start your period during teriflunomide use.
- Your doctor will provide counselling on the potential risks of teriflunomide to an unborn baby and will discuss starting to use effective contraception.



Terifagio (teriflunomide) 14 mg Tablets

Patient's name:
Date Teriflunomide first prescribed:
Centre name:
Treating doctor's name:
Treating doctor's phone number:

Reporting Adverse Reactions

If you get any side effects talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the Patient Information Leaflet.

Adverse events should be reported to:

The National Pharmacovigilance Centre Saudi Food and Drug Authority

Call Center: 19999

E-mail: npc.drug@sfda.gov.sa Website: https://ade.sfda.gov.sa/

Saudi Amarox Industrial Company

Rahaf Aldawsari Qualified person for Pharmacovigilance Al Jamiyah Street, Al Malaz Riyadh Code 11441, Saudi Arabia M: 00966 566393944

E-mail: r.aldawsari@amaroxpharma.com