

LEQVIO[®] (inclisiran) Injection Certificate

The LEQVIO[®] (inclisiran) Injection Certificate is meant to help your patients plan and keep track of their two doses a year*

Give this to your patients when they receive their first LEQVIO dose, then:

- Check or initial the corresponding boxes as they receive their dose
- Schedule and write down the date and time of their next appointment
- Use their routine visits as an opportunity to keep track of their LDL-C
- Remind them to bring their certificate to their next appointment



*LEQVIO (inclisiran) is an injection given in-office by a health care provider with an initial dose, again at 3 months, and then once every 6 months.

Dosing Reminder Card

Lowering my bad cholesterol (LDL-C) and keeping it low!

My Name: _____

My Doctor's Contact Information:

Name: _____

Address: _____

Phone: _____

Email: _____

Your two doses a year of LEQVIO® (inclisiran) may integrate seamlessly into your regular checkup routine*

*LEQVIO is an injection given in-office by a health care provider with an initial dose, again at 3 months, and then once every 6 months.

STAY ON TRACK WITH LEQVIO®: WHEN DO I NEED MY NEXT DOSE?

Your first year with LEQVIO includes 3 doses: the first today, the second in 3 months, and the third 9 months from now. After this, you will receive LEQVIO every 6 months. Ask your doctor if you have any questions or concerns about your dosing schedule.



After your second dose:



2 doses a year

If you miss your appointment to have LEQVIO administered, contact your doctor or health care provider as soon as you remember, so that you can arrange your next treatment.

MY FIRST YEAR WITH LEQVIO®

Dose 1

My appointment is: _____

My LDL-C: _____

You did it, first
dose done!

Dose 2

My appointment is: _____

My LDL-C: _____

#2! Only 1
more this year!

Dose 3

My appointment is: _____

My LDL-C: _____

Congrats on
LEQVIO year 1!

LDL-C testing is subject to HCP's decision.

MY SECOND YEAR

Dose 4

My appointment is: _____

Starting year
2 right!

My LDL-C: _____

Dose 5

My appointment is: _____

See you next
year!

My LDL-C: _____

If you need to reschedule your appointment, let your doctor know that your visit includes an injection. With this, you make sure to keep the right dosing intervals.

MY THIRD YEAR

Dose 6

My appointment is: _____

One down,
one to go this
year!

My LDL-C: _____

Dose 7

My appointment is: _____

Lucky #7
✓ ✓ ✓

My LDL-C: _____

As always, continue on your statin therapy as prescribed by your doctor and stay on track with your LEQVIO® dosing schedule!

MY FOURTH YEAR

Dose 8

My appointment is: _____

Welcome
to year 4!

My LDL-C: _____

Dose 9

My appointment is: _____

Cheers, #10
coming up
next!

My LDL-C: _____

Small changes in your food choices and physical activity routine can help lower your bad cholesterol (LDL-C) even further! Ask your doctor for more advice.

MY FIFTH YEAR

Dose 10

My appointment is: _____

Double-digit
doses, way
to go!

My LDL-C: _____

Dose 11

My appointment is: _____

You did it!
Now, keep it
going!

My LDL-C: _____

Congratulations! Ask your doctor for a new LEQVIO® passport and get your next dose in 6 months.



Before leaving your doctor's office, make sure to schedule your next appointment and dose of LEQVIO®!

IMPORTANT SAFETY INFORMATION

1. WHAT LEQVIO® IS AND WHAT IT IS USED FOR

What LEQVIO® is

LEQVIO contains the active substance inclisiran, which is a cholesterol-lowering double stranded small interfering ribonucleic acid (siRNA).

What LEQVIO is used for

LEQVIO is used to lower cholesterol in addition to a cholesterol-lowering diet if you are an adult with a high cholesterol level in your blood (known as 'primary hyperlipidemia' [including heterozygous familial hypercholesterolemia]).

It is given in addition to other cholesterol-lowering medicines, for example a statin (a commonly used medicine that treats high cholesterol).

How LEQVIO works

Inclisiran uses one of the body's own natural processes to lower "bad" cholesterol (also called LDL cholesterol). It works by limiting the production of a protein called PCSK9

(proprotein convertase subtilisin/kexin type 9) that can increase "bad" cholesterol levels. By preventing its production, LEQVIO can lower your levels of "bad" cholesterol.

If you have any questions about how LEQVIO works or why this medicine has been prescribed for you, ask your doctor or healthcare provider.

2. WHAT YOU NEED TO KNOW BEFORE AND WHILE YOU RECEIVE LEQVIO

Follow all your doctor's instructions carefully. They may differ from the general information contained in this leaflet.

Do not receive LEQVIO

- If you have ever had an allergic reaction to inclisiran or any other ingredients of this product (listed in section 6). If you think you may be allergic, ask your doctor or healthcare provider for advice.

Children and adolescents (below 18 years)

LEQVIO is not to be used in children and adolescents below 18 years of age.

Older people (65 years of age or above)

You can use LEQVIO® if you are aged 65 years or over at the same dose as for other adults.

Taking other medicines (interactions with other medicinal products including vaccines or biologics) Tell your doctor or healthcare provider if you are using, have recently used or might use any other medicines, including medicines obtained without a prescription.

Pregnancy and breast-feeding

If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your doctor or healthcare provider for advice before using this medicine.

3. HOW TO RECEIVE LEQVIO

LEQVIO is given as an injection under the skin (subcutaneous injection) in your abdomen. It will be given to you by a doctor or healthcare provider.

Before starting LEQVIO you should be on a cholesterol-lowering diet and it is likely that you will be taking a statin (a commonly used medicine that treats high cholesterol). You should stay on this cholesterol-lowering diet and keep taking the statin all the time you receive LEQVIO.

How much LEQVIO to receive

The recommended dose of LEQVIO is 284 mg administered as a single injection under the skin: initially, again at 3 months, followed by every 6 months.

If you receive more LEQVIO than you should

This medicine will be given to you by your doctor or healthcare provider. In the highly unlikely event that you are given too much, he or she will check you for side effects.

If you miss your dose of LEQVIO

If you miss your appointment to have LEQVIO administered, contact your doctor or healthcare provider as soon as you remember so that you can arrange your next treatment.

If you have any further questions on the use of this medicine, ask your doctor or healthcare provider.

4. POSSIBLE SIDE EFFECTS

As with all medicines, patients treated with LEQVIO may experience side effects, although not everybody gets them.

If you notice any of the following side effects or if these side effects become severe, please tell your doctor or healthcare provider.

Common: may affect up to 1 in every 10 people

Injection site reactions, such as pain, redness or rash.

If you notice any side effects not listed in this leaflet, please inform your doctor or health care provider.

You can report any problem or adverse events or request additional copies of the materials through:

Patient Safety Department Novartis Pharma AG - Saudi Arabia -
Toll Free Number: 8001240078
Phone: +966112658100
Fax: +966112658107
Email: adverse.events@novartis.com
Or by online: <https://report.novartis.com/>

Saudi Food and Drug Authority National Pharmacovigilance Center

Unified Contact Center: 19999
Fax: +966112057662
Email: npc.drug@sfda.gov.sa
Or by online: <https://ade.sfda.gov.sa>