What should I know about ◆ Tell your health care provider about Roxban (rivaroxaban)?

- Roxban thins the blood, which prevents you from getting dangerous blood clots.
- ♦ Roxban must be taken exactly as prescribed by your doctor. To ensure optimal protection from blood clots, never skip a dose.
- ♦ You must not stop taking Roxban without first talking to your doctor as your risk of blood clots may increase.

- any other medicines you are currently taking, took recently or intend to start taking, before you start Roxban.
- ◆ Tell your health care provider that you are taking Roxban before any surgery or invasive procedure.

When should I seek advice from my health care provider?

When taking a blood thinner such as Roxbanit is important to be aware of its possible side effects. Bleeding is the most common side effect. Do not start taking Roxban if you know you are at risk of bleeding, without first discussing this with your doctor. Tell your health care provider straight away if you have any signs or symptoms of bleeding such as the following:

- pain.
- swelling or discomfort.
- headache, dizziness or weakness.
- unusual bruising, nosebleeds, bleeding of gums, cuts that take a long time to stop bleeding.
- menstrual flow or vaginal bleeding that is heavier than normal.

- ♦ blood in your urine which may be pink or brown, red or black stools.
- coughing up blood, or vomiting blood or material that looks like coffee grounds.

How do I take Roxban (rivaroxaban)?

- ◆ To ensure optimal protection, Roxban
- 10 mg can be taken with or without food.
- 15 mg must be taken with food.
- 20 mg must be taken with food.

Patient Alert Card

Roxban[®] 10 mg Roxban[®] 15 mg Roxban[®] 20 mg



- Keep this card with you at all times.
- Present this card to every physician or dentist prior to treatment.

I am under anticoagulation treatment with **Roxban** (rivaroxaban)

In case of emergency, please notify:

Any suspected adverse events experienced should be reported to the National Pharmacovigilance Center Saudi Arabia:

• The National Pharmacovigilance Centre (NPC):

SFDA Call Center: 19999 E-mail: npc.drug@sfda.gov.sa Website: https://ade.sfda.gov.sa/

Please also notify:

Name:	
Phone:	
Relationship:	

Information for health care providers:

 INR values should not be used as they are not a dependable measure of the anticoagulant activity of Roxban



In addition, suspected adverse reactions related to Ajapharma products may be reported to Ajapharma Pharmacovigilance department:

Email: PV@Ajapharma.com Contact person: Lama Alzaidi Tel: +966-11-4148188 Ext 5726